

VENICUTD04 (VENICUT54BL)



DELTANOCUT® KNITTED GLOVE - DOUBLE NITRILE COATING - GAUGE 13

Model VECUTD04



Product specifications

DELTAnocut® high performance fibre. Double nitrile coating. Gauge 13.

Support: DELTAnocut® high performance fibres.

Coating: nitrile.

COLOUR

Black

SIZE

08, 09, 10, 11

Product Features and Benefits



Double nitrile coating for oily work

1st smooth nitrile coating : impermeable to oils
2nd nitrile foam coating : good adhesion

High coating

Very good protection of the hand
Long life of the glove



Cut level D

Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 21420:2020 General requirements

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



3: Resistance to abrasion (from 1 to 4)
X: Resistance to cutting (from 1 to 5)
4: Resistance to tear (from 1 to 4)
3: Resistance to puncture (1 to 4)
D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A4: Resistance to cutting by sharp objects (from A1 to A9)



REGULATION 2016/425 PERSONAL PROTECTIVE EQUIPEMENT, AS AMENDED TO APPLY IN GB



EN ISO 21420:2020 General requirements

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



3: Resistance to abrasion (from 1 to 4)
X: Resistance to cutting (from 1 to 5)
4: Resistance to tear (from 1 to 4)
3: Resistance to puncture (1 to 4)
D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

Item details

Item details	Bar code	COLOUR	SIZE		
VECUTD04NO08	3295249211080	Black	08	60	12
VECUTD04NO09	3295249211097	Black	09	60	12
VECUTD04NO10	3295249211103	Black	10	60	12
VECUTD04NO11	3295249211110	Black	11	60	12